
Fences

- A fence is defined as a barrier for the purpose of enclosing space or separating lots, composed of (1) masonry or concrete walls, excluding retaining walls; or (2) wood, metal, or concrete posts connected by solid wood or rigid vinyl boards, wrought iron rails, or chain links, or other materials with similar purpose, strength and durability approved by the Zoning Administrator.
- ✓ All fences require a zoning permit.
- Fences in front yards need to allow at least 50% visibility through the fence (wrought iron, chain link, picket, etc.)
- No fence over 6 feet in height is permitted in any residential district.
- No barbed wire fences are allowed within Spring Lake Township, unless used as part of a farming operation.
- Fences may be placed on the property line. It is your responsibility to know where your property lines are.

Corner Lots

Fences or landscaping cannot block the clear vision areas at an intersection, 25 feet back from where a car sits on the road. This is required for public safety so drivers can see when they are making turns.



Residential Lots

In Side and Rear Yards.
Fences can be up to 6 feet. No barbed wire fences are permitted, unless part of a farming operation.

In Required Front Yard:

Fencing needs to allow at least 50% visibility (wrought iron, chain link, picket, etc.) and can't be higher than 4 feet. Fences cannot be placed in the right-ofway.

Permitting Information

- Complete a Fence Permit Application and submit the application and fee to the Building and Planning Department at Township Hall.
- The zoning permit application requires a site plan. A printout from the Ottawa County property mapping system may be used as the basis of the drawing.

Refer to the definitions, Section 313 and 324 of the Zoning Ordinance for complete information. Because Zoning Ordinances are subject to amendments which can change standards and regulations, please speak with the Zoning Administrator to confirm zoning language.

Revised 5-2020

Building Required front setback Required setback Fence

Street

Questions? Contact the Building and Planning Department





Spring Lake Township 101 S. Buchanan St. Spring Lake, MI 49456 Phone: (616) 842-1340

www.springlaketwp.org

FENCE PERMIT APPLICATION

JOB ADDRESS	DATE	Lecurion agrees are poinced
OWNER'S NAME	TELEPHONE	E#
OWNER'S ADDRESS		A From Card Benega in a feet value of the Control v
OWNER'S EMAIL ADDRESS	row listed to empet and bary to	Zones Daniel gua ranta Gannos.
CONTRACTOR'S NAME	TELEPHONE	E#
CONTRACTOR'S ADDRESS		
CONTRACTOR'S EMAIL ADDRE	ESS	
DESCRIBE FENCE (Height, Type,	Location)	The state of the s
ningipal tembera per padika	d Only something to be strong	h heemal enemal or mai come
	coleen hall it sensed	propie flatigiai edi Alak gimborgia.
	alled shall be submitted with this how the distance the fence will be mitted in a PDF electronic formateceipt of all required paperword. I. to perform the described work in	application. If fence is not being be from the lot line. Site plans larger at. k and after a proper plan review is
SIGNATURE		
□ Contractor □ Owner □	Agent	
Office Use Only		
Permit #:	Date Received:	Fee:
Date of Approval:	Date of Denial:	Approved by:

A fence is defined as a barrier for the purpose of enclosing space or separating lots, composed of (1) masonry or concrete walls, excluding retaining walls; or (2) wood, metal, or concrete posts connected by solid wood or rigid vinyl boards, wrought iron rails, or chain links, or other materials with similar purpose, strength and durability approved by the Zoning Administrator. Fences, walls, and decorative fences shall require a Zoning Permit issued by the Zoning Administrator and shall comply with the following regulations and requirements:

FENCE REQUIREMENTS (Section 324 of the Spring Lake Township Zoning Ordinance) Location and Height of Fences

- 1. No fence in excess of six (6) feet in height shall be erected, constructed, located or maintained in any R-1, R-2 R-3 or R-4 Zoning District.
- 2. Front Yard. Fences in a front yard shall be limited to 48 inches in height in any R-1, R-2 R-3 or R-4 Zoning District or in the front or Rear Yard of any Waterfront Lot in any R-1, R-2 R-3 or R-4 Zoning District. Any fence constructed in a Front Yard shall not be a solid barrier which completely obstructs view; rather, any such fence shall allow at least fifty (50) percent visibility through the fence itself.
- 3. No fence shall contain barbed wire unless the fence is used as part of a farming operation.
- 4. No fence, hedge or other landscaping shall be erected, constructed, located or maintained in any Zoning District which constitutes a traffic hazard because of obstruction of visibility or any other reason.

Maintenance

Fences shall be maintained to retain their original appearance, shape and configuration. Elements of a fence that are missing, damaged, destroyed or deteriorated shall be replaced and repaired to maintain conformity with the original fence appearance and design.

CLEAR VISIBILITY AT CORNERS (Section 313 of the Spring Lake Township Zoning Ordinance) No Parking Space, berm, fence, hedge, planting, Sign, Structure, or any other element of the built environment, shall be located, erected or maintained, within a distance of twenty-five (25) feet from the intersection of the rights-of-way at two (2) Streets, two (2) Private Roads, a Street and a Private Road, a Street and a railroad track and a Private Road and a railroad track. However, the Zoning Administrator, upon consultation with the Township engineer or the relevant law enforcement agency or both, may require a greater clear vision area where necessary due to traffic speeds, traffic volumes or the topography of the site. This Section shall not apply to intersections involving a railroad track where there is an operative railroad crossing signal or gate.

