BR/BD 40/25

16" commercial compact scrubber

Fast and thorough cleaning of small areas



BD/BR 40/25 C Bp



Fast and thorough cleaning for small areas.

These walk-behind scrubber driers are suitable for maintenance cleaning and for quick clean-ups. They are easy to use, compact and highly maneuverable.



User friendly

- Self-explanatory icons and a clear control panel make the machine easy to understand, which increases productivity.
- Very short training period thanks to single button control [EASY].
- Fewer controls make the machine easier to use.

2 Compact and maneuverable construction

- A short wheelbase guarantees maximum maneuverability.
- With large push handles for easy maneuvering.

| 1 | 2 |
|---|-------|
| | 16 PL |
| | |
| | Line |
| | |

BD 40/25 C Bp

BR 40/25 C Bp

| | 1 discLow noise | 2 rollersCorrosion-free frameLow noise |
|------------------------------|---|--|
| Technical data | | |
| Brush working width | 16" (400 mm) | 16" (400 mm) |
| Working width, vacuum 1) | 30.3" (770 mm) | 30.3" (770 mm) |
| Tank (fresh/dirty) | 6.6 gallon (25 l) | 6.6 gallon (25 l) |
| Max. area performance | 17,222 ft²/hour | 17,222 ft²/hour |
| Pad rotation speed | 160 rpm | 1350 rpm |
| Brush contact pressure | .5 psi (36 g/cm²) / 88 lbs | 3.6 psi (250 g/cm²) / 56.6 lbs x 2 |
| Motor rating | 1200 W | 1200 W |
| Weight * | 134 lbs | 121 lbs |
| Battery | 24 V | 24 V |
| Dimensions (L x W x H) | 31.5" x 22.5" x 32.5" (800 mm x 575 mm x 830 mm) | 31.5" x 22.5" x 32.5" (800 mm x 575 mm x 830 mm) |
| Equipment | | |
| Roller brush | - | |
| Disc brush | | _ |
| Tank-in-tank system | • | |
| 2-tank system | - | _ |
| Mains operation | - | - |
| Battery operation | | |
| Battery and charger included | ■ ¹⁾ /■ ²⁾ | ■ ¹)/ ■ ² |
| Order No. | 9.841-094.0 / -095.0 | 9.841-092.0 / -093.0 |

■ Included in delivery. ¹⁾ 105 a/h, low-maintenance. ²⁾ 100 a/h, AGM low-maintenance.

Accessories

BD 40/25 C Bp Standard Accessories

| Order No. | Description | | |
|-------------|--|------------------|-------------|
| 6.907-151.0 | Disc Brush, Red | | |
| 4.777-400.0 | Complete Suction Bar with Oil Resistant Squeegees, 30" (770mm) | | |
| 6.273-254.0 | Squeegee Blades, Oil Resistant | Millingal | |
| BD 40/25 C | Bp Optional Accessories | 6.907-151.0 | 6.273-254.0 |
| 2.641-790.0 | Water Filler Mounting Kit | | |
| 6.273-253.0 | Squeegee Blades, EPDM, Complete Set | 1 ス | |
| 6.273-262.0 | Squeegee Blades, PU, Oil Resistant, SLOTTED | \mathbf{U}^{-} | |
| 6.907-154.0 | Disc brush, White, Very Soft | 2.641-790.0 | 6.907-152.0 |
| 6.907-153.0 | Disc brush, Natural Fibers, Soft | 2.041-730.0 | |
| 6.907-152.0 | Disc brush, Black, Black (Very Hard/Aggressive) | | |
| 6.371-078.0 | Microfiber Pad, 15", Set of 5 | all a | |
| 6.369-791.0 | Disc pad, Red, 15" (Medium) | | |
| 6.369-790.0 | Disc pad, Green, 15" (Hard) | 6.371-078.0 | 6.369-790.0 |
| 6.369-789.0 | Disc pad, Black, 15" (Very Hard) | | |

BR 40/25 C Bp Standard Accessories

| Order No. | Description | | |
|-------------|--|-------------------|--|
| 4.762-458.0 | Roller Brush, Red, Complete (2 Required) | | |
| 4.777-400.0 | Complete Suction Bar with Oil Resistant Squeegees, 30" (770mm) | | |
| 6.273-254.0 | Squeegee Blades, Oil Resistant | 2 III Contraction | |
| BR 40/25 C | Bp Optional Accessories | 4.762-458.0 | 6.273-254.0 |
| 2.641-790.0 | Water Filler Mounting Kit | | |
| 6.273-253.0 | Squeegee Blades, EPDM, Complete Set | 1 人 | All and a second se |
| 6.273-262.0 | Squeegee Blades, PU, Oil Resistant, SLOTTED | \mathbf{U}^{-} | |
| 4.762-250.0 | Roller brush, Soft, White | 2.641-790.0 | 4.114-004.0 |
| 4.762-251.0 | Roller brush, Hi-Low, Orange | 2.041-730.0 | 4.114-004.0 |
| 4.762-252.0 | Roller brush, Aggressive, Green | | |
| 4.762-481.0 | Roller brush, Very Aggressive, Black | | Allowed and Annual States of the |
| 4.762-274.0 | Roller brush, Natural | | |
| 4.762-228.0 | Roller pad shaft (2 Required for Microfiber Pads) | 4.762-228.0 | 6.369-726.0 |
| 4.114-004.0 | Microfiber roller (2 Required) | | |
| 6.369-727.0 | Roller pads, White, Complete (Very Soft) 2 Required | | |
| 6.369-724.0 | Roller pads, Yellow, Complete (Soft) 2 Required | | |
| 6.369-726.0 | Roller pads, Red, Complete (Medium) 2 Required | | |
| 6.369-725.0 | Roller pads, Green, Complete (Hard/Aggressive) 2 Required | | |

