

# KÄRCHER

makes a difference



## PROFESSIONAL-GRADE CLEANING.

Gasoline-powered, belt-drive cold water pressure washer.

# LIBERTY HD PB CART



## Reliable and professional.

Our cold-water series provides a broad selection of rugged belt-drive units, all with reliable Honda GX engines, which deliver cleaning volume of up to 3.7 GPM. Each model is ETL certified to UL safety standards and comes with a rugged steel chassis, cast iron belt pulley system, flat-free tires, and industrial-grade Kärcher crankcase pump.



### 1 Powerful and durable

- Rugged chassis base painted with an epoxy powder coat finish for all-weather protection.
- Notched V-belts and cast-iron pulleys reduce belt slippage and provide longer pump life.
- Reliable Honda GX engine with two-year warranty; low-oil alert, silent-tone muffler (9 and 13 HP models also have valve for easy pull-start).
- 50' durable wire-braid hose rated for 3000 or 4000 PSI; with hose guard for burst protection.
- Inlet strainer protects pump from debris in the water source.

### 2 Smart features

- Easy-to-attach downstream detergent injector with brass soap nozzle.
- Stainless steel wand with quick-couple connectors for easy attachment of high-pressure nozzles.
- Insulated, high-pressure trigger gun for hours of fatigue-free cleaning.
- Industrial-grade tri-plunger oil-bath Kärcher pump with forged brass head and ceramic pistons.

### 3 Outstanding mobility

- 10" tubed pneumatic tires for easy maneuvering on all terrains and to absorb vibration.
- Rubber feet to absorb vibration and keep the unit from "walking".
- Convenient front and back 1 1/4" chrome-plated handles to assist in lifting and moving the pressure washer.

# TECHNICAL DATA AND EQUIPMENT

## Features

- Chrome handles
- Powder coated steel chassis
- Reliable Honda GX engine
- Onboard hose and wand storage
- Water volume up to 3.7 GPM
- Industrial belt-drive Kärcher pump
- Flat-free tires
- Quick connect nozzles

## Technical Data

Model	Part No.	GPM	PSI	CC	Engine	Fuel	Pump	Weight (lbs.)	Dimensions (L x W x H) inches
HD 3.0/30 PB	1.575-152.0	3.0	3000	270	Honda GX270	Gas	Kärcher KM	225	45 x 26 x 24
HD 3.7/35 PB	1.575-154.0	3.7	3500	389	Honda GX390	Gas	Kärcher KM	250	45 x 26 x 24
HD 3.0/40 PB	1.575-155.0	3.0	4000	389	Honda GX390	Gas	Kärcher KM	250	45 x 26 x 24